

ACTIVATION ENERGY AND CATALYSIS

Introduction

- For a reaction to occur, molecules must collide. *The frequency of the **collisions** affects the rate of the reaction.* The frequency can be changed by
 - a. *increasing or decreasing the **concentrations** of the reactants*
 - b. *changing the **temperature** to change the velocities of the molecules.*
- When molecules collide, they do not all react. In order to react, the two *molecules must have the proper **orientation**.*
- Not all properly oriented collisions between molecules result in a reaction. The molecules must also have enough energy for the reaction to occur. *The minimum energy that is needed is called the **activation energy**.*
- The activation energy is needed because existing bonds must be broken and new bonds must be formed. The point in the reaction at which this reconstruction is occurring is called the **transition state** or **activated complex**.
- **Catalysts** are substances that lower the activation energy and thereby increase the rate of reactions. Catalysts are essential in the production of industrial chemicals. Biological catalysis, which are called *enzymes*, are essential for life and for the development of new pharmaceutical products.

Learning Objectives

- Understand the factors that limit the rate of a chemical reaction.
- Be able to determine the activation energy of a chemical reaction from reaction rate data.
- Recognize how catalysts can increase reaction rates.

Success Criteria

- Ability to produce a complete list of factors that affect the rate of a chemical reaction.
- Ability to identify three or more ways that the rate of a chemical reaction can be increased.
- Correct determination of activation energies from reaction rate data.
- Correct quantitative prediction of how large a rate increase will be produced by a given change in activation energy.

Prerequisites

- Rates of chemical reactions
- Reaction mechanisms

MODEL 1: Energy vs Reaction Coordinate Diagram

An energy vs reaction coordinate graph is used to show how the potential energy of the reactants changes as they are converted to products. The reaction coordinate is a measure of the progress of the reaction along the reaction pathway.




Fig. 1


EXERCISES

- 1a. Is the energy change in going from reactants to products in Fig. 1 positive or negative?
- 1b. According to Fig. 1, which has the higher energy, the reactants or the transition state?
- 1c. As the temperature increases, does the fraction of molecules with high kinetic energy increase or decrease? Why do you think the rate of a chemical reaction increases with increasing temperature?

- 1d. Which molecules are most likely to reach the transition state and pass over to products when they collide
- those with high velocities and kinetic energies *or*
 - those with low velocities and kinetic energies
- 1e. Give another reason why some collisions between molecules might not result in a chemical reaction.
- 1f. Draw an arrow on the diagram in Fig. 1 to indicate the magnitude of the activation energy for the reverse reaction (products going back to reactants). Do you think the rate constant of the reverse reaction will be larger or smaller than that of the forward reaction?
(Explain your answer in terms of the fraction of molecules that have enough kinetic energy to reach the transition state)

PROBLEMS

- 1g. Hydrogen and chlorine react to produce hydrochloric acid, but the reverse reaction also occurs at a slower rate. Consider the reaction




Draw two diagrams, one showing an orientation of the two HCl molecules that is unfavorable for this reaction, and one showing an orientation that is favorable for this reaction.

- 1i. Draw an energy vs reaction coordinate diagram to illustrate a reaction in which the energy of the products is greater than the energy of the reactants. Label all quantities as per Fig. 1.
- 1j. Using your diagram from exercise 1i, identify which reaction (forward or reverse) has the larger activation energy and which has the larger rate constant.

MODEL 2: Lowering the Activation Energy - Catalysis

A catalyst changes the mechanism of a chemical reaction and lowers its activation energy. The catalyst participates in intermediate steps of the reaction, but it is neither produced nor consumed in the reaction so the balanced reaction equation remains the same.



EXERCISES

- 2a. What effect does a catalyst have on the activation energy of a reaction?
- 2b. What effect does a catalyst have on the change in free energy of a reaction?
- 2c. What effect does a catalyst have on the mechanism of a reaction?
- 2d. What effect does a catalyst have on the stoichiometry of a reaction?

2e. How does the rate of the rate limiting step in a reaction with a catalyst compare with the rate of the rate limiting step without the catalyst?

2f. What are at least three ways that the rate of a chemical reaction can be increased?

PROBLEMS (using the Arrhenius Eq.; $k = Ae^{-E_a/RT}$)

2g. A catalyst reduces the activation energy for a reaction from 17 kJ mol^{-1} to 2 kJ mol^{-1} . By what factor is the rate accelerated?

(Assume that the frequency factor A does not change, and that the temperature is 200 K).