

Chemistry, The Central Science, 10th edition
Theodore L. Brown; H. Eugene LeMay, Jr.;
and Bruce E. Bursten

Chapter 1


Introduction:

Matter and Measurement




Chemistry:

The study of matter
and the changes it
undergoes.




Scientific Method:

A systematic approach to solving problems.




Matter:

Anything that has mass and takes up space.




Matter




(a) Oxygen




(b) Water




(c) Carbon dioxide



(d) Ethanol




(e) Ethylene glycol



(f) Aspirin

- **Atoms** are the building blocks of matter.


Matter




(a) Oxygen




(b) Water




(c) Carbon dioxide



(d) Ethanol




(e) Ethylene glycol



(f) Aspirin

- **Atoms** are the building blocks of matter.
- **Each element** is made of the same kind of atom.


Matter




(a) Oxygen




(b) Water




(c) Carbon dioxide



(d) Ethanol




(e) Ethylene glycol




(f) Aspirin

- **Atoms** are the building blocks of matter.
- **Each element** is made of the same kind of atom.
- **A compound** is made of two or more different kinds of elements.

States of Matter




Classification of Matter




Classification of Matter




Classification of Matter




Classification of Matter




Classification of Matter




Classification of Matter




Classification of Matter




Classification of Matter



Classification of Matter



Classification of Matter



Mixtures and Compounds



Properties and Changes of Matter



Properties of Matter

- Physical Properties:
 - Can be observed without changing a substance into another substance.
 - Boiling point, density, mass, volume, etc.
- Chemical Properties:
 - Can *only* be observed when a substance is changed into another substance.
 - Flammability, corrosiveness, reactivity with acid, etc.



Properties of Matter


- Intensive Properties:
 - Independent of the amount of the substance that is present.
 - Density, boiling point, color, etc.
- Extensive Properties:
 - Dependent upon the amount of the substance present.
 - Mass, volume, energy, etc.



Changes of Matter

- Physical Changes:
 - Changes in matter that do not change the composition of a substance.
 - Changes of state, temperature, volume, etc.
- Chemical Changes:
 - Changes that result in new substances.
 - Combustion, oxidation, decomposition, etc.

Chemical Reactions




In the course of a chemical reaction, the reacting substances are converted to new substances.

Chemical Reactions




Compounds

Compounds can be broken down into more elemental particles.




Electrolysis of Water




Separation of Mixtures

Distillation:


Separates
homogeneous
mixture on the basis
of differences in
boiling point.



Distillation



Filtration:



Separates solid substances from liquids and solutions.

Chromatography:

Separates substances on the basis of differences in solubility in a solvent.



Units of Measurement



SI Units

Physical Quantity	Name of Unit	Abbreviation
Mass	Kilogram	kg
Length	Meter	m
Time	Second	s ^a
Temperature	Kelvin	K
Amount of substance	Mole	mol
Electric current	Ampere	A
Luminous intensity	Candela	cd

^aThe abbreviation sec is frequently used.

- *Système International d'Unités*
- Uses a different base unit for each quantity

Metric System

Prefixes convert the base units into units that are appropriate for the item being measured.

Prefix	Abbreviation	Meaning	Example
Giga	G	10^9	1 gigameter (Gm) = 1×10^9 m
Mega	M	10^6	1 megameter (Mm) = 1×10^6 m
Kilo	k	10^3	1 kilometer (km) = 1×10^3 m
Deci	d	10^{-1}	1 decimeter (dm) = 0.1 m
Centi	c	10^{-2}	1 centimeter (cm) = 0.01 m
Milli	m	10^{-3}	1 millimeter (mm) = 0.001 m
Micro	μ^a	10^{-6}	1 micrometer (μm) = 1×10^{-6} m
Nano	n	10^{-9}	1 nanometer (nm) = 1×10^{-9} m
Pico	p	10^{-12}	1 picometer (pm) = 1×10^{-12} m
Femto	f	10^{-15}	1 femtometer (fm) = 1×10^{-15} m


^aThis is the Greek letter mu (pronounced “mew”).

- Write down an unusual example of a chemical reaction on a piece of paper and give it to me with your name.

- What is the most abundant element on earth?
- What is the most abundant element in the human body?

Volume

- The most commonly used metric units for volume are the liter (L) and the milliliter (mL).
 - A liter is a cube 1 dm long on each side.
 - A milliliter is a cube 1 cm long on each side.



$$1\text{L} = 1000\text{ ml}$$



Conversions of units

Length

$$1 \text{ km} = 1000 \text{ meter}$$

$$1 \text{ meter} = 100 \text{ cm}$$

$$1 \text{ cm} = 10 \text{ mm}$$

Mass

$$1 \text{ kg} = 1000 \text{ g}$$


$$1 \text{ g} = 1000 \text{ mg}$$

Volume


$$1 \text{ L} = 1000 \text{ ml}$$

Temperature:

A measure of the average kinetic energy of the particles in a sample.




Temperature




- In scientific measurements, the Celsius and Kelvin scales are most often used.
- The Celsius scale is based on the properties of water.
 - 0°C is the freezing point of water.
 - 100°C is the boiling point of water.

Temperature



- The Kelvin is the SI unit of temperature.
- It is based on the properties of gases.
- There are no negative Kelvin temperatures.
- $K = ^\circ C + 273.15$

Temperature




- The Fahrenheit scale is not used in scientific measurements.
- $^{\circ}\text{F} = 9/5(^{\circ}\text{C}) + 32$
- $^{\circ}\text{C} = 5/9(^{\circ}\text{F} - 32)$


Uncertainty in Measurement



Uncertainty in Measurements

Different measuring devices have different uses and different degrees of accuracy.





Significant Figures

- The term **significant figures** refers to digits that were measured.
- When rounding calculated numbers, we pay attention to significant figures so we do not overstate the accuracy of our answers.

Significant Figures

1. All nonzero digits are significant.
2. Zeroes between two significant figures are themselves significant.
3. Zeroes at the beginning of a number are never significant.
4. Zeroes at the end of a number are significant if a decimal point is written in the number.

Exact numbers

- These numbers are the ones whose values are known exactly.

Counted numbers and

Conversion factors

Exact Numbers

- The numbers that are obtained by counting and not by measuring are called exact numbers.

Examples: 10 apples, 100 students

- Exact numbers also arise by definition

Example : 1 inch is defined as exactly

2.54 cm.

- Exact numbers can be assumed to have an unlimited number of significant figures.
- These do not limit the number of significant figures in a calculation.

Rules for Multiplication and Division

- When multiplying or dividing numbers, the answer reported can not have more significant figures than either of the original numbers.

Three significant
figures

Three significant figures

$$\frac{278 \text{ mi}}{11.70 \text{ gal}} = 23.8 \text{ mi/gal}$$

Four significant
figures


Rules for Addition and Subtraction

When adding or subtracting numbers, the reported answer can not have more digits after the decimal point than any of the added numbers.


Volume of water at start	→	3.18? ?? L	← Two digits after decimal p
Volume of water added	→	+ 0.013 15 L	← Five digits after decimal p
Total volume of water	→	<u>3.19? ?? L</u>	← Two digits after decimal p

Accuracy versus Precision


- **Accuracy** refers to the proximity of a measurement to the true value of a quantity.
- **Precision** refers to the proximity of several measurements to each other.



Good accuracy
Good precision



Poor accuracy
Good precision



Poor accuracy
Poor precision

Dimensional Analysis

- This is a very powerful tool for conversion from one unit to another.

- Those of you who were present in today morning's discussion, please sign the attendance sheet.

Dimensional Analysis

Step 1: write the conversion factors

Step 2: write down two equivalence ratios

Step 3: write the number to be converted with the unit

Step 4: multiply that with the equivalence ratio so that the unit needed in the answer is on the top and the unit that needs to go is on the bottom

Step 5: Calculate the answer

Check to see if your answer makes sense



Example

Convert 37 cm into meters.

- Step 1: write the conversion factors

$$1\text{m} = 100\text{ cm}$$

- Step 2: write down two equivalence ratios

$$\frac{1\text{m}}{100\text{ cm}} \quad \frac{100\text{ cm}}{1\text{ m}}$$

- Step 3: write the number to be converted with the unit
- Step 4: multiply that with the equivalence ratio so that the unit needed in the answer is on the top and the unit that needs to go is on the bottom

$$37\text{ cm} \times \frac{1\text{m}}{100\text{ cm}}$$

- Step 5: Calculate the answer

$$37\text{ cm} \times \frac{1\text{m}}{100\text{ cm}} = 0.37\text{ m Answer}$$

Examples

- Convert 37 Km/h to m/s

$$37 \frac{\text{Km}}{\text{h}} \times \frac{1000\text{m}}{1\text{Km}} \times \frac{1\text{h}}{60\text{min}} \times \frac{1\text{min}}{60\text{s}}$$

- Convert 12 g / L to g/ml

Density:

Physical property of a substance

$$d = \frac{m}{V}$$