

## Wave Theory

U Wave theory was the dominant theory for understanding the behavior of light (and other forms of electromagnetic radiation) prior to 1900.


( Wave theory correctly predicted the behavior of light in most optical phenomena.

; Wave theory incorrectly assumed that the energy of electromagnetic radiation was proportional to its intensity:

$$E \propto I \propto A^2$$


; Wave theory incorrectly predicted that the intensity of light emitted by a heated body should increase without limit as the frequency increases (“The Ultraviolet Catastrophe”).

# The Black-Body Radiator Problem



U In 1900 Max Planck, through his interpretation of the frequency-intensity dependence of the black-body radiator, deduced the fundamental equation  $E = h\nu$ .

# Intensity vs. Frequency for a Black-Body Radiator



## Assumptions of Planck's Black-Body Radiator Model

1. The body contains "oscillators" with various individual frequencies,  $\nu$ .
2. Each oscillator has certain energies limited to values given by

$$g = nh\nu$$

where  $g$  = oscillator's energy

$h$  = a constant (Planck's constant)


$\nu$  = oscillator's frequency

$n$  = quantum number = 1, 2, 3, ...

3. An oscillator emits energy in the form of light in a transition from a higher energy state to a lower energy state:

$$E_{\text{light}} = g_{\text{low}} - g_{\text{high}}$$

# Energy Transition of an Oscillator




$$E_{\text{light}} = \epsilon_{\text{low}} - \epsilon_{\text{high}} = (n - 1)h\nu - nh\nu = -h\nu$$

## Consequences of Plank's Quantum Theory

1. Light energy is proportional to frequency, *not* intensity.
2. Energies of individual particles of matter (e.g., atoms, molecules) are not continuous, but rather are *quantized* into certain allowed values.


# Continuous vs. Quantized Energy

## Musical Analogy




# Photoelectric Effect

Phillip Eduard Anton Lenard - 1900.




# Photoelectric Cell



Photoelectrons create the electrical current in the circuit, which is read on the ammeter.

# Photoelectric Effect

1. The light must have a frequency greater than a certain minimum value,  $\nu_0$ , characteristic of the metal.



2. Energy of emitted electrons *does not* depend on light intensity.
3. Number of emitted electrons (photoelectric current) increases with light intensity.
4. Electron energy is proportional to light frequency, if  $\nu > \nu_0$ .

# Einstein's Interpretation of the Photoelectric Effect 1905

$$E_{\text{light}} = h\nu = \phi_0 + K$$

$\phi_0$  = energy of attraction between electron and metal that must be overcome to eject photoelectrons

$K$  = kinetic energy of ejected electrons

From Plank

$$\phi_0 = h\nu_0$$

so  $E_{\text{light}} = h\nu = h\nu_0 + K$

But  $K = \frac{1}{2}mv^2$

so  $E_{\text{light}} = h\nu = h\nu_0 + \frac{1}{2}mv^2$